

Approved for use through 10/31/2002 OMB 0651-0031 demark Office; U. S. DEPARTMENT OF COMMERCE

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO COMPLETE IF KNOWN 09/777,989 Application Number INFORMATION DISCLOSURE Confirmation Number 3218 Filing Date 6 February 2001 STATEMENT BY APPLICANT First Named Inventor (use as many sheets as necessary) Chester Group Art Unit 2123 (8) 3 unknown Washing Examiner Name SHEET of 8035M Attorney Docket Number

U. S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.	U.S. PATENT DOCUMENT Number Kind Code ² (If known)	lumber Kind Code ² Cited Document		Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.'	FOI Office ³	REIGN PATENT (Number ⁴	OCUMENT Kind Code (if known)		Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	†*
					<u> </u>			
								
· ·						 		
						'		

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	76
M	1	R.D. SMITH, E.G. CHAPMAN, AND B.W. WRIGHT, "Pressure Programming in Supercritical Fluid Chromatography," Analytical Chemistry, 57: (14) pp. 2829-2836 (1985)	
Tay	2	H. SNIJDERS, H.G. JANSSEN, AND C. CRAMERS, "Optimization of termperature-programmed gas chromatographic separations. 1. Prediction of retention times and peak widths from retention indices," <u>Journal of Chromatography A</u> , 718: (2) pp. 339-355 (Dec. 22, 1995)	
100	3	J.C. GIDDINGS, Unified Separation Science, John Wiley & Sons, Inc. New York (1991)	
ner	4	R.G. WOLCOTT, J.W. DOLAN, AND L.R. SNYDER, "Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength," Journal of Chromatography A, 869, pp. 3-25 (2000)	
In	5	L.R. SNYDER, J.W. DOLAN, AND J.R. GRANT, J. Chromatogr., 165, (1979) 3	
Jan	6	P.J. SCHOENMAKERS, "Optimization of Chromatographic Selectivity, a Guide to Method Development," J. Chromatography Library, 35 (1988) Ph.J. Chromatography Library, 35 (1988)	
m	7	H. MARTENS AND T. NAES, <u>Multivariate Calibration</u> , ISBN 0-471-90979-3, John Wiley & Sons, Ltd., Chichester (1989), p. p. 261-223-242-376	
20	8	R. PERSON, Special Edition Using Excel for Windows 95, QUE, Ch. 29, pp. 838-853- (NO CART)	

Examples Helbrichm Pate Considered 4-19-16

OIPE 23 2000 E

•	12	E. J. BILLO, Fixel for Chemists: A Comprehensive Gulde, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997)	اکي او
MN	36	E. J. BILLO, Fixel for Chemists: A Comprehensive Guide, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997)	10,
n/	10	RATISTINER ET AL., Special Edition Using Microsoft Excel 2000, QUE, Ch. 22, pp. 646-659 (1998)	2
	11	L.R. SNIDER, J.J. KIRKLAND, J.L. GLAJCH, Practical HPLC Method Development, 2 nd ed., Wiley, p. 392-394 and	100
IN		pp. 439-478 (1997)	3
W.	12	ATWOOD AND GOLAY, J. Chromatogr., 218, pp. 97-122 (1981)	
n/	13	J.J. VAN DEEMTER, F.J. ZUIDERWEG, AND KLINKENBERG. Chem. Eng. Sci., 5, 271, (1956), 44, 271-289	
ne	14	C. HORVATH AND H.J. LIN, J. Chromatogr. Sci., 149, 43, (1978)	
W	15	G.J. KENNEDY, AND J.H. KNOX, J. Chromatogr. Sci., 10, 149, (1972), 791, 549-176	
2	16	B.F. KARGER, L.R. SNYDER, AND C. HORVATH, An Introduction to Separation Science, John Wiley & Sons,	
m		New York, P. 90 (1973), 09, 14-411 63, 90-9-	
77	17	P.E. KAVANAGH, "Optimizing Reversed Phase Separations with the Aid of a Spreadsheet," Chromatographia, Vol.	
W		50, No. 1/2, July, 1999, pp. 65-69 ISSN: 0009-5893	'
,	18	L. PAUGAM, R. MENARD, J. LAURE, D. THOUVENOT, "Optimization of glucosinolate separation by micellar	
W		electrokinetic capillary chromatography using a Doehlert's experimental design, " J. Chromatography A, 864 (1999)	
UN		155-162	
,	19	E. MARENGO, M.C. GENNARO, V. GIANOTTI, E. PRENESTI, "Optimization of the separation of mono- and	
h]	dichloroanilines in ion interaction high performance liquid chromatography, J. Chromatography A. 863. (1999) 1-11	
	20	A.I. LIAPIS, J.J. MEYERS, O.K. CROSSER, "Modeling and simulation of the dynamic behavior of monoliths Effects	
1 1		of pore structure from pore network model analysis and comparison with columns packed with porous spherical	
M		particles," J. Chromatography A, 865 (1999) 13-25	
	21	G. DESMET, G.V. BARON, "Simultaneous optimization of the analysis time and the concentration detectability in	
m		open tubular liquid chromatography," J. Chromatography A, 867 (2000) 23-43	
•	22	S. GOGA-REMONT, S. HEINISCH, J.L. ROCCA, "Use of optimization software to determine rugged analysis	
W		conditions in high-performance liquid chromatography, J. Chromatography A, 868 (2000) 13-29	
10	23	R. BERGES, V. SANZ-NEBOT, J. BARBOSA, "Modelling retention in liquid chromatography as a function of	
W		solvent composition and pH of the mobile phase, J. Chromatography A, 869 (2000) 27-39	
	24	C. BARBAS, A. GARCIA, L. SAAVEDRA, M. CASTRO, "Optimization and validation of a method for the	
1 2]	determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid	
n		chromatography Stress test for stability evaluation, J. Chromatography A, 870, (2000) 97-103	
	25	R. ROMERO, D. GAZQUEZ, M.G. BAGUR, M. SANCHEZ-VINAS, "Optimization of chromatographic parameters	
m		for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography," J.	
1/2		Chromatography A. 871 (2000) 75-83	
	26	V. NATARAJAN, B. W. BEQUETTE, S. M. CRAMER, "Optimization of ion-exchange displacement separations I.	
1.		Validation of an iterative scheme and its use as a methods development tool," J. Chromatography A, 876 (2000)	
h		51-62	
m	27	V. NATARAJAN, S.M. CRAMER, "Optimization of ion-exchange displacement separations II. Companson of	
Y/Y		displacement separations on various ion-exchange resins," J. Chromatography A, 876 (2000) 63-73	
[28	V. PIETTE, M. LAMMERHOFER, K. BISCHOFF, W. LINDNER, "High-performance liquid chromatographic	
,		enantioseparation of N-protected alpha amino acids using nonporous silica modified by a quinine carbamate as	
120		chiral stationary phase," Lab of Analytical Chemistry, University of Namur, Namur, Belg. Chriality (1997), 9(2), 157-	
I'V'		161 ISSN: 0899-0042	
Jow	29	N. HAMADA, H. MURAKITA, T. FUJITA, "Computer application for the optimization of resolution in HPLC,"	
10rv	-	Kuromatogurafi, (1995) 16(4), 278-9 ISSN: 0917-3048. (Abst-ust osly browleted!	
	30	J.D. STUART, D.D. LISI, L.R. SNYDER, "Separation of Mixtures of o-phthalaidehyde-derivatized amino acids by	.
m		reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width, " J.	· [
V V'		<u>Chromatogr., (1989) 485, 657-72 ISSN: 0021-9673</u>	
1 / /	31	J.W. DOLAN, ET AL., "Simultaneous variation of temperature and gradient steepness for reversed-phase high-]
h		performance liquid chromatography method development I. Application to 14 different samples using computer	ŀ
		simulation," J. Chromatogr. A, (1998) 803(1 + 2), 1-31 ISSN: 0021-9673	
,	32	M. LAEMMERHOFER, ET AL., "Computerized optimization of the high-performance liquid chromatographic	į
m		enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase	1
	<u> </u>	using DRYLAB,* J. Chromatogr. B: Biometd. Appl. (1997) 689(1), 123-135 ISSN: 0378-4347	
W	33	T.H. DZIDO, A. SORY, "Computer optimization for RP-HPLC separation of some nucleosides," Chem. Anal.	ŀ
V		(Warsaw) (1996), 41(1), 113-120 ISSN:0009-2223	
, /	34	R. DAEPPEN, I. MOLNAR, "Application of the gradient elution technique: demonstration with a special test mixture	
11/		and the DryLab G/plus method development software," J. Chromatogr. (1992), 592(1-2), 133-141 ISSN: 0021-	
<u> </u>		9673	

Examiner Jol Wahren

Pate considered 4-19-06

/	~	51
PATE	JUL	2 3 2001

R.C. CUPPEK, "Computer simulation as a tool for the rapid optimization of high-performance liqud chromatographic separation of a tryptic digest of human growth hormone," <u>J. Chromatogr.</u> (1992), 594(1-2), 65-73 ISSN: 0021-9673 P.A. RYAN, B.A. EWELS, J.L. GLAJCH, "Separation and detection of oxidation products in Neurolite raw material," J. Chromatogr. (1991), 550(1-2), 549-558 ISSN: 0021-9673 T.H. DZIDO, E. SOCZEWINSKI, J. GUDEJ, "Computer aided optimization of high-performance liquid chromatographic analysis of flavonoids from some species of the genus Althaea," J. Chromatogr. (1991) 550(1-2), 71-6 ISSN: 0021-9673 J. FULPER, "Practical approach for high-performance liquid chromatographic method development: assaying synthetic intermediates of a leukotrinene inhibitor," J. Chromatogr. (1989), 485, 597-605 ISSN: 0021-9673 P.B. BOWMAN, ET AL., "Liquid chromatography solvent optimization: potential pitfalls when using a black box for developing a quality separation,* J. Pharm. Blomed. Anal., (1993), 11(11-12), 1295-1301 ISSN: 0731-7085 R. FAULSTICH, T. CATALANO, "Interactive computer optimization of high performance liquid chromatography separations in pharmaceutical analysis," LC-GC, (1991), 9(11), 776, 778-779 ISSN: 0888-9090 P.B. BOWMAN, ET AL., "Automated HPLC optimization-not all systems are the same," J. Pharm. Biomed. Anal. (1993), 11(11-12), 1303-15 ISSN: 0731-7085 K. OUTINEN, V.M. LEHTOLA, H. VUORELA, "Behavior of resolution by changing solvent strength and selectivity w in the 'PRISMA' model using reversed-phase HPLC for biogenic amines," J. Pharm. Biomed. Anal. (1997), 15(6), 819-829 ISSN: 0731-7085 K. OUTINEN, ET AL., "Optimization of selectivity in high-performance liquid chromatography using desirability functions and mixture designs according to prisma," Eur. J. Pharm. Sci. (1998), 6(3), 197-205 ISSN: 0928-0987 K. OUTINEN, H. VUORELA, R. HILTUNEN, "The retention behavior of biogenic amines in the 'PRISMA' model using reversed-phase HPLC," Acta Pharm. Fenn. (1992), 101(1), 11-20 ISSN: 0356-3456 S. NYIREDY, W. WOSNICK, H. THIELE, O. STICHER, "PRISMA' model for computer-aided HPLC mobile phase optimization based on an automatic peak identification approach," J. Liq. Chromatogr. (1991), 14(16-17), 3077-3110 ISSN: 0148-3919 C. GEIGER, H. RIMPLER, "OPTISOLVE" - a PC-program for solvent optimization in liquid chromatography. Part 1." GIT Fachz. Lab. (1990), 34(11), 1391-2, 1395-7 ISSN: 0016-3538. Cola symmetry friendly filed S.J. ZIEGLER, O. STICHER, "Optimization of the mobile phase for HPLC separation of S/alk(en)yl-L-cysteine derivataives and their corresponding sulfoxide isomers," J. Lig. Chromatogr., (1989), 12(1-2), 199-220 ISSN: 0148-R. CELA, ET AL., "PREOPT-W: off-line optimization of binary gradient separations in HPLC by simulation - IV. W Phase 3," Comput. Chem. (1996), 20(3), 315-330 ISSN: 0097-8485 R. CELA, M. LORES, "PREOPT-W: a simulation program for off-fine optimization of binary gradient separations in HPLC - II. Data management and miscellaneous aspects of use," Comput. Chem. (1996), 20(2), 193-202 ISSN: R. CELA, ET AL., "The PREOPT package for pre-optimization of gradient elutions in high-performance liquid chromatography," Anal. Chim. Acta (1986), 191, 283-297 ISSN: 0003-2670 51 R. CELA, M. LORES, *PREOPT-W: a simulation program for off-line optimization of binary gradient separations in HPLC - I. Fundamentals and overview, Comput. Chem. (1996), 20(2), 175-91 ISSN: 0097-8485 S.D. PATTERSON, "Use of solvent selectivity optimization procedures for high-performance liquid chromatographic method development," J. Chromatogr. (1992), 592(1-2), 43-9 ISSN: 0021-9673 M. SOLFRIZZO, ET AL., "Separation of chlamydosporol epimers by reversed-phase HPLC using commercial solvent optimization software," Chromatographia, (1994) 39(7/8), 443-7 ISSN: 0009-5893 G. D'AGOSTINO, ET AL., "Optimization of the mobile phase composition in gradient elution reversed-phase HPLC by stochastic prediction," Chromatographia, (1988) 25(4), 343-9 ISSN: 0009-5893 K. LEMR, "Computerized optimization of the mobile phase in RP-HPLC," Chem. Listy (1992), 86(11), 850-4 ISSN: 55 0009-2770 Only one phoagonish Prandated P. JAGELAND, ET AL., Optimization of industrial-scale high-performance liquid chromatography applications 56 using a newly developed software," J. Chromatogr. (1994), 658(2), 497-504 ISSN: 0021-9673 C. BRYANT, ET AL., "Using inductive logic programming to discover knowledge hidden in chemical data," 57 Chemom, Intell. Lab. Syst. (1997), 36(2), 111-123 ISSN: 0169-7439 S. HEINISCH, ET AL., "Computerized optimization of RP-HPLC separation with nonaqueous or partially aqueous mobile phases,* Chromatographia, (1997), 44 (9/10), 529-537 ISSN: 0009-5893 B. BOURGUIGNON, ET AL., *CRISEBOOK, a Hypermedia version of an expert system for the selection of optimization criteria in high-performance liquid chromatography," J. Chromatogr. (1992), 592(1-2), 51-7 ISSN: 0021-9673

Examples Hollow

Hollowings Pute considered 4-19-06

		The second section of the s	500,
	60	J. MARTINE MOSIAPET AL., "A new sequential procedure for the efficient and automated location of optimes	300
12		conditions in high performance liquid chromatography (HPLC), J. Liq. Chromatogr., (1995), 18(15), 2969-892	0,
		ISSN: 0148-3919	رج,
W	61	C.T. MANT, ET AL., "Reversed-phase chromatographic method development for peptide separations using the	8
- W		computer simulation program ProDigest-LC, J. Chromatogr., (1989), 485, 365-82 ISSN: 0021-9673	
_	62	R.S. HODGES, ET AL., "Computer simulation of high-performance liquid chromatographic separations of peptide	
\ V	l	and protein digests for development of size-exclusion, ion-exchange, and reversed-phase chromatographic	
		methods," J. Chromatogr., (1988), 458, 147-67 ISSN: 0021-9673	
W	63	S.G. LISSETER, "A PASCAL program for the optimization of ternary mobile phases for reversed-phase high	
V 8	21	performance liquid chromatography," Lab: Microcomput, (1990), 9(4), 109-15 ISSN: 0262-2955	
	64	J. WEI, J. WEI, X. ZHOU, "Computer-aided optimization of the experimental conditions for the isocratic reversed-	·
hv		phase high-performance liquid chromatographic separation of hormonal steroids," <u>J. Chromatogr.</u> (1991), 552(1-2),	
		103-11 ISSN: 0021-9673	
1 5 6	65	J. WEI, J. WEI, X. ZHOU, "Optimization of an isocratic reversed phase liquid chromatographic system for the separation of fourteen steroids using factorial design and computer simulation," <u>Biomed. Chromatogr.</u> (1990), 4(1),	
J.		34-8 ISSN: 0269-3879	
	66	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Computer-aided optimization with photodiode array detection in	
. m	~~	HPLC," Anal. Proc. (London) (1988), 25(9), 300-3 ISSN: 0144-557X	
	67	T. O'DWYER, P. DELAND, R. SMITH, "Optimization of HPLC separations through distributed intelligence using a	
2	١ -:	PC,* Am. Lab. (Fairfield, Conn.) (1988), 20(6), 40, 42-4, 46-8, ISSN: 0044-7749	
	68	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Sequential simplex optimization and multichannel detection in HPLC:	
w		application to method development," Chromatographia, (1987), 24, 533-40, ISSN: 0009-5893	
	69	R. ANDERSSON, M.D. HAEMAELAEINEN, "Simplex focusing of retention times and latent variable projections of	
W.		chromatographic profiles,* Chemom. Intell. Lab. Syst. (1994), 22(1), 49-61 ISSN: 0169-7439	
	70	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Strategies for automated optimization of high-performance liquid	
In		chromatographic separations incorporating diode-array detection," <u>J. Chromatogr.</u> (1988), 458, 335-53 ISSN: 0021-	
11/		9673	
20	71	O. BUSTO, J.C. OLUCHA, F. BORRULL, "Determination of phenolic compounds in water by HPLC by linear	
1	ļ	gradient. An optimized method.," Chromatographia, (1991), 32(9-10), 423-8 ISSN: 0009-5893	
200	72	R.P. TUCKER, ET AL., "Computer-aided models for optimization of eluent parameters in chiral liquid	
100	73	chromatography," Chirality, (1992) 4(5), 316-22 ISSN: 0899-0042	
	′³	H. J. METTING, P. M. COENEGRACHT, M. J. PIERRE, "Neural networks in high-performance liquid chromatography optimization: response surface modeling," <u>J. Chromatogr. A</u> , (1996), 728(1 + 2), 47-53 ISSN:	
1 m		0021-9673	
•	74	E.P. LANKMAYR, ET AL., "Computer-aided optimization of high-performance liquid chromatography in the	
m		pharmaceutical industry,* <u>J. Chromatogr.</u> (1989), 485, 183-93 ISSN: 0021-9673	
	75	C. P. ONG, ET AL., "Use of overlapping resolution mapping scheme for optimization of the high-performance tiquid	
W	<u></u> _	chromatographic separation of pharmaceuticals, " J. Chromatogr. A. (1995), 692(1 + 2), 207-12	
	76.	S. FAN, ET AL., "Optimization of reversed phase liquid chromategraphic separation of aromatic acids," Sepu-	
	<u>L. </u>	-(1988), 0(4), 220-2	
2	177	O.A. QUATTROCCHI, L. IMPERIALE, "Optimization of HPLC methods," SAFYBI (1991), 31(84), 37-60 ISSN:	
m	ļ	0558-1265, (Ox/4/86) - mit Trans 1 /2 U/-	
	- 78	W. YUAN, ET AL., 'An automotic optimization procedure in multistage gradient elution." Senu (1985). 2(6). 335-8	·····
	79-	C. ZHOU, ET AL., Optimization of the composition of a binary mobile phase in RP-HPLC by computer statistical	
	<u> </u>		
. 9	. 80	D. BYLUND, ET AL., "Optimization of chromatographic separations by use of a chromatographic response	
1 1/		function, empirical modeling, and multivariate analysis," Chromatographia, (1997), 44(1/2), 74-80 ISSN: 0009-	
<i>V</i>	D4	5893	
	B1	H. MO, B. DENG, "Optimization of separation conditions for mixtures of phenois by high performance liquid	
	82	-shrematography using artificial neural network, "Ferni Huaxue (1895), 23(7), 779-92 ISSN: 0263-3820	
1	ا م	155N: 0344-1733	-
2	83	F. GONG, ET AL., "An improved algorithm of sequential number-theoretic optimization (SNTO) based on clustering	
1/2/		technique," Chemom. Intell. Lab. Syst. (1999), 45(1,2), 339-346 ISSN: 0169-7439	
13-	84	P. CHAMINADE, ET AL., "Use of the cubic spline interpolation algorithm for the selection of optimal ternary mobile	
M		phase composition in RP-HPLC," <u>Analusis</u> (1994) 22(2), 55-7 ISSN: 0365-4877	
	85	B. BOURGUIGNON, ET AL., "Optimization in irregularly shaped regions: pH and solvent strength in reversed-	
12/		phase high-performance liquid chromatography separations," Anal. Chem. (1994), 66(6), 893-904 ISSN: 0003-	
100		2700	

Examinen Hollowhrum Porte Considered 4-20-06

	The state of the s
A Ju	2 3 2007.
图	, in

	AECA	
POCHA	ARCE OF SO	VED
	160 - 2	<i>₹0,</i>

.1	86	P.F. DE COMPARISON of models and designs for optimization of the pH and solvent strength in	1
w	↓	HPLC, Anal. Chim. Acta, (1997) 356(1), 7-18 ISSN: 0003-2670	
	87	C. GERTZ, W. FELLMANN, "Simple procedure for optimizing multicomponent mobile phases in high-performance of	n /
W	<u> </u>	liquid chromatography," Fresenius' Z. Anal. Chem. (1986) 323(4), 343-9 ISSN: 0016-1152. [Only Market]	1.1
	88	Q. WANG, R. GAO, B. YAN, "Integration of computer-assisted statistical scanning optimization system in HPLC,"	
<i>\</i> /		Chin. J. Chem. (1996), 14(1) 40-7 ISSN: 1001-604X	
VV	89	B.A. OLSEN, M.D. ARGENTINE, "HPLC method development for duloxetine hydrochloride using a combination of	
1./		computer-based solvent strength optimization and solvent selectivity mixture design," J. Liq. Chromatogr. Relat.	
W	1	Technol. (1996), 19(12), 1993-2007 ISSN: 1082-6076	
	90	Y. BABA, "Computer-assisted retention prediction for high performance liquid chromatography in the in-exchange	
W	1	mode, J. Chromatogr. (1989), 485, 143-68 ISSN: 0021-9673	
	91	R. CELA, J.A. MARTINEZ, "Off-line optimization in HPLC separations," Quim, Anal. (Barcelona) (1999), 18(1), 29-	
w		40 ISSN: 0212-0569	
	92	S. HATRIK, ET AL., "Use of a threshold criterion in the computer-assisted optimization of chromatographic	
W	1	separations," J. Chromatogr. A. (1994), 665(1), 9-15	
1	93	P. JANDERA, "Optimization of gradient elution in normal-phase high-performance liquid chromatography," J.	
W		Chromatogr. A (1998), 797(1 + 2), 11-22 ISSN: 0021-9673	
•	94	S.D. WEST, "The prediction of reversed-phase HPLC retention Indexes and resolution as a function of solvent	
m		strength and selectivity," J. Chromatogr. Sci. (1987), 25(3), 122-9 ISSN: 0021-9665	
	95	P. LU, H. HONGXIN, "An intelligent search method for HPLC optimization," J. Chromatogr. Sci., (1989), 27(12),	
A		690-7 ISSN: 0021-9665	
	96	R. KYSILKA, M. WURST, "Optimized determination of indole derivatives by high-performance liquid	
10		chromatography with selective detection," J. Chromatogr., (1988), 446, 315-21, ISSN: 0021-9673	
	97	B. LIN, W. LIU, P. LU, D.L. MASSART, M. DESMET, B. KOPPENHOEFER, "The simulation and optimization of	
W		gradient elution HPLC, "Sci. China, Ser. B (1992), 35(9), 1056-66 ISSN: 1001-652X	
	98	M.A. STADALIUS, H.S. GOLD, L.R. SNYDER, "Optimization model for the gradient elution separation of peptide	
4 /	i	mixtures by reversed-phase high-performance liqid chromatography. Verification of band width relationships for	
\mathcal{W}	<u> </u>	acetonitrile-water mobile phases," J. Chromatogr. (1985), 327, 27-45 ISSN: 0021-9673	
•	99	Y. BABA, ET AL., "Effect of column temperature on high-performance liquid chromatographic behavior of inorganic	
201		polyphosphates. II. Gradient ion-exchange chromatography," J. Chromatogr. (1985), 350(1), 119-25 iSSN: 0021-	•
m		9673	
0.7	100	H. ZOU, Y. ZHANG, P. LU, "The prediction of peak width at half height in HPLC," Chin. J. Chem. (1991), 9(3), 237-	
h	<u> </u>	44	
	101	N. LUNDELL, "Implementation and use of gradient predictions for optimization of reversed-phase liquid	
m	\perp	chromatography of peptides. Practical considerations," J. Chromatogr. (1993), 639(2), 97-115 ISSN: 0021-9673	
2	102	M. KAISER, "HPLC optimization of the separation of explosives and propellant components with an octadecyl	
18		phase by computer simulation," Propellants, Explos., Pyrotech. (1997), 22(6), 321-325 ISSN: 0721-3115	

EXAMINER EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in

conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.



PTO/SB08A (08-00) Approved for use through 10/31/2002 OMB 0651-0031
Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Substitute for form 1449.A/PTO	COMPLETE IF KNOWN		
	Application Number	09/777,989	
INFORMATION DISCLOSURE	Confirmation Number	3218	
STATEMENT BY APPLICANT	Filing Date	6 February 2001	
(use as many sheets as necessary)	First Named Inventor	Chester	
	Group Art Unit	2123 2852	
	Examiner Name .	unknown L/Aut 1946 4	
HEET 1 of 5	Attorney Docket Number	8035M	

U. S. PATENT DOCUMENTS

EXAMINER INITIALS	Cite No.1													U.S. PATEN Number	T DOCUMENT IGnd Code ² (# known)	Name of Patenties or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	ļ	ļ																
	 	ļ																
	 	<u></u>																
	 																	
	 																	
	†	† 																
		i																

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	No.1	Office ³	REIGN PATENT I Number	DOCUMENT Kind Code ^s (if known)	Name of Patemee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	74
				I				
							1	

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.1	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁴
ner	1	R.D. SMITH, E.G. CHAPMAN, AND B.W. WRIGHT, "Pressure Programming in Supercritical Fluid Chromatography," Analytical Chemistry, 57: (14) pp. 2829-2836 (1985) (A/D - 20.2.)	
m	2	H. SNIJDERS, H.G. JANSSEN, AND C. CRAMERS, "Optimization of termperature-programmed gas chromatographic separations. 1. Prediction of retention times and peak widths from retention indices," <u>Journal of Chromatography A. 718</u> : (2) pp. 339-355 (Dec. 22, 1995)	
Mes	3	J.C. GIDDINGS, Unified Separation Science, John Wiley & Sons, Inc. New York (1991) (No good th)	
W	4	R.G. WOLCOTT, J.W. DOLAN, AND L.R. SNYDER, "Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength," Journal of Chromatography A. 869, pp. 3-25 (2000) (1/1) = 0.9 (1/2)	
m	5	L.R. SNYDER, J.W. DOLAN, AND J.R. GRANT, J. Chromatogr., 165, (1979) 3 (Non Bath)	
W	6	P.J. SCHOENMAKERS, "Optimization of Chromatographic Selectivity, a Guide to Method Development," J. Chromatography Library, 35 (1988) (Vibgan Holy 1994)	
M	7	H. MARTENS AND T. NAES. Multivariate Calibration, ISBN 0-471-90979-3, John Wiley & Sons. Ltd., Chichester (1989)じNo month/10は261-273.297-316	
ms	8	R. PERSON, Special Edition Using Excel for Windows 95, QUE, Ch. 29, pp. 838-853 (No Ch. te/.	

Examines Hollalier Pute lowidered 4-19-06

m/		T 1 0010 F 111 01 111 10	
13/	9	E. J. 8ILLO, Excel for Chemists: A Comprehensive Guide, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997) (NO	
FW.	10	P. BLATTNER ET AL., Special Edition Using Microsoft Excel 2000, QUE, Ch. 22, pp. 646-659 (1998) (Ab a Data	<u>-</u>
2000	11	L.R. SNIDER, J.J. KIRKLAND, J.L. GLAJCH, Practical HPLC Method Development, 2rd ed., Wiley, p. 392-394 and pp. 439-478 (1997) (M) 40 4/4/.	i i
W	12		
74/		ATWOOD AND GOLAY, J. Chromatogr., 218, pp. 97-122 (1981) (Manan 1h)	01
74	13	J.J. VAN DEEMTER, F.J. ZUIDERWEG, AND KLINKENBERG, Chem. Eng. Sci., 5, 271, (1956) (No m. D. Foli And	271-189
TIN.	14	C. HORVATH AND H.J. LIN. J. Chromatogr. Sci. 149. 43. (1978) (No A on the July, 43-70,	
per la la	15	G.J. KENNEDY, AND J.H. KNOX, J. Chromatogr. Sci. 10. 149. (1972) (No month 1 gg, 579-556.	
Van	16	B.F. KARGER, L.R. SNYDER, AND C. HORVATH, An production to Separation Science, John Wiley & Sons,	
100	43	New York. P. 90 (1973) (Nomonth), pur. 12-x111, 63,90-95.	
2/1	17	P.E. KAVANAGH, "Optimizing Reversed Phase Separations with the Aid of a Spreadsheet," Chromatographia, Vol.	1
_//		50, No. 1/2, July, 1999, pp. 65-69 ISSN: 0009-5893	
_	18	L. PAUGAM, R. MENARD, J. LAURE, D. THOUVENOT. Optimization of glucosinolate separation by micellar	
m./		electrokinetic capillary chromatography using a Doehler's experimental design, J. Chromatography A, 864 (1999)	
- CAN	40	155-162, CNDMO7 \$11/,	
10,5	19	E. MARENGO, M.C. GENNARO, V. GIANOTTI, E. PRENESTI, "Optimization of the separation of mono- and	<u> </u>
pu		dichloroanilines in ion interaction high performance liquid chromatography, * J. Chromatography, A, 863, (1999) 1-11	Norent
ایر	20	A.I. LIAPIS, J.J. MEYERS, O.K. CROSSER, 'Modeling and simulation of the dynamic behavior of monoliths Effects	
In		of pore structure from pore network model analysis and comparison with columns packed with porous spherical	
70-	- 24	particles, J. Chromatography A. 865 (1999) 13-25 (Nome, M).	
1/2	21	G. DESMET, G.V. BARON, "Simultaneous optimization of the analysis time and the concentration detectability in	
1	- 00	open tubular liquid chromatography," J. Chromatography A. 867 (2000) 23-43 (///3-2-7/1/2	
Mal	22	S. GOGA-REMONT, S. HEINISCH, J.L. ROCCA, "Use of optimization software to determine rugged analysis	
4100	22	conditions in high-performance liquid chromatography." J. Chromatography A, 868 (2000) 13-29. (No mon 1/h).	
1000	23	R. BERGES, V. SANZ-NEBOT, J. BARBOSA, "Modelling retention in liquid chromatography as a function of	
PUV/	24	solvent composition and pH of the mobile phase," J. Chromatography A, 869 (2000) 27-39 ()	
208	24	C. BARBAS, A. GARCIA, L. SAAVEDRA, M. CASTRO. Optimization and validation of a method for the	
		determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid	
	25	chromatography Stress test for stability evaluation." J. Chromatography A. 870, (2000) 97-103, (Algraphy II)	
mar	25	R. ROMERO, D. GAZQUEZ, M.G. BAGUR, M. SANCHEZ-VINAS, "Optimization of chromatographic parameters	
160		for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography.* 1 Chromatography A, 871 (2000) 75-83, (// つっぱ、/え/.	1
	26		
0./		V. NATARAJAN, B. W. BEQUETTE, S. M. CRAMER, "Optimization of ion-exchange displacement separations I. Validation of an iterative scheme and its use as a methods development tool," <u>J. Chromatography A</u> , 876 (2000)	
an		51-62. (No month)	
	27	V. NATARAJAN, S.M. CRAMER, "Optimization of ion-exchange displacement separations II. Comparison of	
392/	•	displacement separations on various ion-exchange resirs. J. Chromatography A: 876 (2000) 63-73///0 m 9m //	/ [
- pro	28	V. PIETTE, M. LAMMERHOFER, K. BISCHOFF, W. LINDNER, "High-performance liquid chromatographic	
	/	enantioseparation of N-protected alpha amino acids using nonporous silica modified by a quinine carbamate as	
200-		chiral stationary phase. Lab of Analytical Chemistry, University of Namur, Namur, Belg. Chriality (1997), 9(2), 157.	
100		161 ISSN: 0899-0042 (No. no. 1/)	i
. /	29	N. HAMADA, H. MURAKITA, T. FUJITA, "Computer application for the optimization of resolution in HPLG,"	
IN		Kuromatogurafi. (1995) 16(4). 278-9 ISSN: 0917-3048. (1995) 16(4). 278-9 ISSN: 0917-3048.	-
	_30	J.D. STUART, D.D. LISI, L.R. SNYDER, "Separation of Mixtures of o-phthalaidehyde-derivatized amino acids by	
20.1	_	reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width," J.	
un		Chromatogr., (1989) 485, 657-72 ISSN: 0021-9673, (10 /h 0 /h 1/h)]
2	31	J.W. DOLAN, ET AL., 'Simultaneous variation of temperature and gradient steepness for reversed-phase high-	
In		performance liquid chromatography method development I. Application to 14 different samples using computer	Í
04		simulation. J. Chromatogr. A. (1998) 803(1 + 2), 1-31 ISSN: 0021-9673 \ \NO_12 enTo/	l
	.32	M. LAEMMERHOFER, ET AL., "Computerized optimization of the high-performance liquid chromatographic	
DA.		enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase	
1000		using DRYLAB, J. Chromatogr. B: Biometd. Appl. (1997) 589(1), 123-135 ISSN: 0378-4347. (Np mpn 1/h).	
•	33	T.H. DZIDO, A. SORY, "Computer optimization for RP-HPLC segaration of some nucleosides," Chem. Anal.	
m		(Warsaw) (1996), 41(1), 113-120 ISSN:0009-2223, (Name of the control of some modeosides.	'
	34	R. DAEPPEN, I. MOLNAR, "Application of the gradient eutrion technique: demonstration with a special test mixture	
201		and the DryLab G/plus method development software." J. Chromatogr. (1992), 592(1-2), 133-141 ISSN: 0021-	
		5673. (No man 1/1)	
-		1011	

Exames Hellewhen

Pate Constand 4-19-06

			· · · · · · · · · · · · · · · · · · ·
	35	R.C. CHLOUPEK, W.S. HANCOCK, L.R. SNYDER, "Computer simulation as a tool for the rapid optimization of	
10		high-performance liqid chromatographic separation of a tryptic digest of human growth hormone.* J. Chromatogr. (1992). 594(1-2). 65-73 ISSN: 0021-9673. (NO 400 F/h).	
92/	36	P.A. RYAN, B.A. EWELS, J.L. GLAJCH. "Separation and detection of oxidation products in Neurolite raw material,"	
MW		J. Chromatogr. (1991). 550(1-2). 549-558 ISSN: 0021-9673. (Non anth)	
	37	T.H. DZIDO, E. SOCZEWINSKI, J. GUDEJ, Computer aided optimization of high-performance liquid	
201		chromatographic analysis of flavonoids from some species of the genus Althaea," J. Chromatogr. (1991) 550(1-2).	
· FON!		71-6 ISSN: 0021-9673. (10 mg, +1)	
0.	38	J. FULPER, 'Practical approach for high-performance liquid chromatographic method development: assaying	
		synthetic intermediates of a leukotrinene inhibitor," J. Chromatogr. (1989), 485, 597-605 ISSN: 0021-9673. (No. In Indiana Ind	outhit
-1	39	P.B. BOWMAN, ET Al., "Liquid chromatography solvent optimization: potential pitfalls when using a black box for	
M/		developing a quality separation.* J. Pharm. Biomed. Anal., (1993), 11(11-12), 1295-1301 ISSN: 0731-7085, (1993)	onth!
10	.40	R. FAULSTICH, T. CATALANO, "Interactive computer optimization of high performance liquid chromatography	
101/		separations in pharmaceutical analysis, LC-GC, (1991), 9(11), 778, 778-779 ISSN: 0888-9090, No. 3 Un Th	
01/	41	P.B. BOWMAN, ET AL., "Automated HPLC optimization-not all systems are the same," J. Pharm. Biomed. Anal.	
		(1993). 11(11-12). 1303-15 ISSN: 0731-7085 Wampy The	
	42	K. OUTINEN, V.M. LEHTOLA. H. VUORELA, "Behavior of resolution by changing solvent strength and selectivity	
20/		in the 'PRISMA' model using reversed-phase HPLC for biogenic amines," J. Pharm. Biomed. Anal. (1997), 15(6).	
- CM		819-829 ISSN: 0731-7085; (No mon 1/h)	
2	43	K. OUTINEN, ET AL., "Optimization of selectivity in high-performance liquid chromatography using desirability	
· In	10	functions and mixture designs according to prisma, "Eur. J. Pharm. Sci. (1998), 6(3), 197-205 ISSN: 0928-0987.	2-3-41
710	44	K. OUTINEN, H. VUORELA, R. HILTUNEN, The retention behavior of biogenic amines in the 'PRISMA' model	~ 17×17/ (/
Mr	***	using reversed-phase HPLC," Acta Pharm. Fenn. (1992), 101(1), 11-20 ISSN: 0356-3456 1/10 mp. 1/1/	1
1	45		
/	45	S. NYIREDY, W. WOSNICK, H. THIELE, O. STICHER, "PRISMA' model for computer-aided HPLC mobile phase	
12h/		optimization based on an automatic peak identification approach," J. Liq. Chromatogr. (1991), 14(16-17), 3077-	
HIV.		3110 ISSN: 0148-3919. UVO month)	
m	46	C. GEIGER, H. RIMPLER, "OPTISOLVE' - a PC-program for solvent optimization in liquid chromatography. Part	1011
190		1." GIT Fachz. Lab. (1990). 34(11), 1391-2, 1395-7 ISSN: 0016-3538. Woman foll Womany only Jans	4/k d/
, ,	47	S.J. ZIEGLER, O. STICHER, "Optimization of the mobile phase for HPLC separation of S-alk(en)yl-L-cysteine	
Mark		derivataives and their corresponding suffoxide isomers,* <u>J. Lig. Chromatogr.</u> (1989), 12(1-2), 199-220 ISSN: 0148-	
W		3919: (No mint/1/.	
32 /	48	R. CELA, ET AL., "PREOPT-W: off-line optimization of binary gradient separations in HPLC by simulation – IV.	
774/		Phase 3.* Comput. Chem. (1996). 20(3), 315-330 ISSN: 0097-8485. (1/10 man 1/11/2	<u> </u>
: "	49	R. CELA, M. LORES, "PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	
70		HPLC - II. Data management and miscellaneous aspects of use." Comput. Chem. (1996), 20(2), 193-202 ISSN:	
Inn		0097-8485.0%p.cath)	
1/1 9	50	R. CELA. ET AL., The PREOPT package for pre-optimization of gradient elutions in high-pedormance liquid	
Inv		chromatography. Anal. Chim. Acta (1986), 191, 283-297 ISSN: 0003-2670. LNo month/	<u> </u>
12/	51	R. CELA, M. LORES, *PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	
18W	- '	HPLC - I. Fundamentals and overview, Comput. Chem. (1996), 20(2), 175-91 ISSN: 0097-8485, Wingo Th	
121 1-1	52	S.D. PATTERSON, "Use of solvent selectivity optimization procedures for high-performance liquid	
: 1/2/ .		chromatographic method development, J. Chromatogr. (1992), 592(1-2), 43-9 ISSN: 0021-9673, Nomenth	
7000 /	53	M. SOLFRIZZO, ET AL., 'Separation of chlamydosporol epimers by reversed-phase HPLC using commercial	
IM/	~	solvent optimization software. *Chromatographia, (1994) 39(7/8), 443-7 ISSN: 0009-5893.	
2	54	G. D'AGOSTINO, ET AL., "Optimization of the mobile phase composition in gradient elution reversed-phase HPLC"	
11/	•	by stochastic prediction,* Chromatographia, (1988) 25(4), 343-9 ISSN: 0009-5893. None this	
7 84	,5 5	K. LEMR, "Computerized optimization of the mobile phase in RP;HPLC," Chem. Listy (1992), 86(11), 850-4 ISSN:	
	<i>/</i>	0009-2170 (NO mon Yh) (Oh/y Runaunu) Trun / wall	
-190	56	P. JAGELAND, ET AL., "Optimization of industrial-scale high-performance liquid chromatography applications."	
19h	56	using a newly developed software.* J. Chromatogr. (1994). 658(2), 497-504 ISSN: 0021-9673. (\(\lambda \tilde{\theta}_0 \tilde{\theta}_0^{\tilde{\theta}}\)	
2/	57	C. BRYANT, ET AL., "Using inductive logic programming to discover knowledge hidden in chemical data."	
PON	57		\
2/	50	Chemom. Intell. Lab. Syst. (1997). 36(2). 111-123 ISSN: 0169-7439. (No mon/h)	
1/10 /	58	S. HEINISCH, ET AL., "Computerized optimization of RP-HPLC separation with nonaqueous or partially aqueous	
100		mobile phases, Chromatographia. (1997). 44 (9/10), 529-537 ISSN: 0009-5893, (1/1) (1/1) (1/1)	
711	59	B. BOURGUIGNON, ET AL., CRISEBOOK, a Hypermedia version of an expert system for the selection of	
		optimization criteria in high-performance liquid chromatography.* J. Chromatogr. (1992). 592(1-2), 51-7 ISSN:	.
		0021-9673.(Na menth)	
		0 . //	

Examen Kallhalin

Pateronistery 4-19-06

	[Z		
m.	60	J. MARTINEZ-VIDAL, ET AL., "A new sequential procedure for the efficient and automated location of optimum	
	l	conditions in high performance liquid chromatography (HPLC). J. Liq. Chromatogr., (1995), 18(15), 2969-89	
<i>y</i> ~	ļ	ISSN: 0148-3919 · (/Vo/nor/h/	
2/ 1	61	C.T. MANT. ET AL Reversed-phase chromatographic method development for peptide separations using the	
96/	L	computer simulation program ProDigest-LC.* J. Chromatogr., (1989), 485, 365-82 ISSN: 0021-9673 (N2 mg-1/1/1	
2	62	R.S. HODGES, ET AL., "Computer simulation of high-performance liquid chromatographic separations of peptide"	
18.1		and protein digests for development of size-exclusion, ion-exchange, and reversed-phase chromatographic	
	l	methods. J. Chromatogr., (1988), 458, 147-67 ISSN: 0021-9673, [No min + h].	
1/	63	S.G. LISSETER, "A PASCAL program for the optimization of temary mobile phases for reversed-phase high/	
<i>90</i>	١٣	performance liquid chromatography. Lab. Microcomput. (1990). 9(4). 109-15 ISSN: 0262-2955 (Non 2nth)	
<i>F</i>			
2.	64	J. WEI, J. WEI, X. ZHOU, "Computer-aided optimization of the experimental conditions for the isocratic reversed-	
18/2/	1	phase high-performance liquid chromatographic separation of hormonal steroids, J. Chromatogr. (1991). 552(1-2).	
100		103-11 ISSN: 0021-9673 (1/10 m /h 7/1/)	
	65	J. WEI, J. WEI, X. ZHOU, "Optimization of an isocratic reversed phase liquid chromatographic system for the	
PS /	ľ	separation of fourteen steroids using factorial design and computer simulation, Biomed. Chromatogr. (1990), 4(1),	
40		34-8 ISSN: 0269-3879, (No App th).	
2 x /	66	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Computer-aided optimization with photodiode array detection in	
41	ļ	HPLC," Anal. Proc. (London) (1988). 25(9), 300-3 ISSN: 0144-557X. (10 mg a 1/1)	
2.	67	T. O'DWYER, P. DELAND, R. SMITH, *Optimization of HPLC separations through distributed intelligence using a	Ì
26/		PC.* Am. Lab. (Fairfield, Conn.) (1988), 20(6), 40, 42-4, 46-8, ISSN: 0044-7749, (NO MID), 1),	
b. /	68	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Sequential simplex optimization and multichannel detection in HPLC:	
IW		application to method development, Chromatographia, (1987), 24, 533-40, ISSN: 0009-5893 (Alaman Hhl.)	
20 1	69	R. ANDERSSON, M.D. HAEMAELAEINEN, 'Simplex focusing of retention times and latent variable projections of	
W.		chromatographic profiles," Chemom. Intell. Lab. Syst. (1994), 22(1), 49-61 ISSN: 0169-7439. [Na manth/	
	70	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Strategies for automated optimization of high-performance liquid	
10		chromatographic separations incorporating diode-array detection." J. Chromatogr. (1988), 458, 335-53 ISSN: 0021-	
/M/		9673	
	71	O. BUSTO, J.C. OLUCHA, F. BORRULL, "Determination of phenotic compounds in water by HPLC by linear",	
ILN		gradient. An optimized method.,* Chromatographia, (1991), 32(9-10), 423-8 ISSN: 0009-5893 Mbm2. Mr	
	72	R.P. TUCKER, ET AL., "Computer-aided models for optimization of eluent parameters in chiral liquid	\neg
13.1		chromatography, Chirality, (1992) 4(5), 316-22 ISSN: 0899-0042, (Na p. 1/2)	
1.4.	73	H. J. METTING, P. M. COENEGRACHT, M. J. PIERRE, "Neural networks in high-performance liquid	
1. /		chromatography optimization: response surface modeling," <u>J. Chromatogr. A.</u> (1996), 728(1 + 2), 47-53 ISSN:	- 1
w		0021-9673, CWO manth/	
	74		
hali	/-4	E.P. LANKMAYR, ET AL., Computer-aided optimization of high-performance liquid chromatography in the	
14-/		pharmaceutical industry.* J. Chromatogr. (1989), 485, 183-93 ISSN: 0021-9673, (1) 2017 1/2	
Ne/	75	C. P. ONG, ET AL., "Use of overlapping resolution mapping scheme for optimization of the high-performance liquid	- 1
		chromatographic separation of pharmaceuticals," J. Chromatogr. A. (1995), 692(1 + 2), 207-12, (NO en 7. /h/,	
. 1	-76	G. FAN, ET AL "Optimization of reversed phase liquid chromatographic separation of aromatic acids," Sepu	
·		≠(1380). Q(4), 220-2>	
low	77	O.A. QUATTROCCHI, L. IMPERIALE, "Optimization of HPLC methods," SAFYBI (1991), 31(84), 37-60 ISSN:	1
		0558-1265, UVO m 2n 14/. On by Africken Transilate	
	-78	W-YUAN: ET-AL., "An automatic optimization procedure in multistage gradient elittlen," (Sept) (1985), 2(6):335-8-]
,	-79	C. 2HOU. ST. AL., Optimization of the composition of a binary mobile phase in RP-HPLC by computer statistical	
		mapping procedure, Fenxi Ceshi-Tongbao (1990), 9(2), 52.6_ISSN: 1000-3800	
,	80	D. BYLUND. ET AL., "Optimization of chromatographic separations by use of a chromatographic response	\neg
m/		function, empirical modeling, and multivariate analysis, *Chromatographia, (1997), 44(1/2), 74-80 ISSN: 0009-	- 1
POV		5893. (A/D on Do 1/h/.	
	81	H. MO, 8-DENG, "Optimization of separation conditions for mixtures of phenols by high performance liquid	\dashv
.		-chromotography using artificial neural network, Femri Huaxue (1995), 23(7), 779-82, ISSN: 0253-3820	
	82	R. LYMCH ET AL., Solvent optimization system for HPLC applications, LaborPraxis (1990), 14(12), 1028, 1030 2	\dashv
		ISEN: 0344-1733, (1777) 1777-1777-1777-1777-1777-1777-1777	
0 /	83	F. GONG. ET AL., "An improved algorithm of sequential number-theoretic optimization (SNTO) based on clustering	\dashv
n/	-	technique. Chemom. Intell. Lab. Syst. (1999), 45(1,2), 339-346 ISSN: 0169-7439(MD 023/1/1/2	- 1
- //	84		\dashv
2/	84	P. CHAMINADE, ET AL., "Use of the cubic spline interpolation algorithm for the selection of optimal ternary mobile	- 1
-/-	· ·	phase composition in RP-HPLC." Analysis (1994) 22(2), 55-7 ISSN: 0365-4877, CAO on 7m/h/	
W	85	B. BOURGUIGNON, ET AL., "Optimization in irregularly shaped regions: pH and solvent strength in reversed-	
IN	1	phase high-performance liquid chromatography separations," Anal. Chem. (1994), 66(6), 893-904 ISSN: 0003-	- 1
		2700.[Namas fh/	
1-			

Examinen Hellelulum Patelonidered 4 2000

1/11	86	P.F. DE AGULAR. ET AL., "Comparison of models and designs for optimization of the pH and solvent strength in HPLC," Anal. Chim. Acta. (1997) 356(1), 7-18 ISSN: 0003-2670.[NR mg at h].	
12/	87	C. GERTZ, W. FELLMANN, "Simple procedure for optimizing multicomponent mobile phases in high-performance liquid chromatography," Fresenius' Z. Anal. Chem. (1986) 323(4), 343-9 ISSN: 0016-1152, [No. 2-1-]////	to the
20st	88	Q. WANG, R. GAO, B. YAN, "Integration of computer-assisted statistical scanning optimization system in HPLC." Chin. J. Chem. (1996), 14(1) 40-7 ISSN: 1001-604X, Ng page 11/11.	
Mest	69	B.A. OLSEN, M.D. ARGENTINE. "HPLC method development for duloxetine hydrochloride using a combination of computer-based solvent strength optimization and solvent selectivity mixture design." J. Liq. Chromatogr. Relat. Technol. (1996). 19(12). 1993-2007 ISSN: 1082-6076. (\(\lambda \) (\lambda \) (\(\lambda \) (\lambda \) (\(\lambda \) (\(\lambda \) (\lambda \) (\(\lambda \) (\(\lambda \) (\(\lambda \) (\lambda \) (\(\lambda \) (\(\lambda \) (\(\lambda \) (\lambda \) (\(\lambda \) (\(\lambda \) (\l	
In	90	Y. BABA, "Computer-assisted retention prediction for high performance liquid chromatography in the in-exchange mode," J. Chromatogr. (1989), 485, 143-68 ISSN: 0021-9673, (No. 1997).	
TAN	91	R. CELA, J.A. MARTINEZ, "Off-line optimization in HPLC separations," Quim. Anal. (Barcelona) (1999), 18(1), 29-40 ISSN: 0212-05694 (No man 14).	
WV	- 92	S. HATRIK, ET AL., "Use of a threshold criterion in the computer-assisted optimization of chromatographic separations." J. Chromatogr. A. (1994). 665(1), 9-15, (10 1), 10 10 10 10 10 10 10 10 10 10 10 10 10	
100	93	P. JANDERA. "Optimization of gradient eution in normal-phase high-performance liquid chromatography." J. Chromatogr. A (1998), 797(1 + 2), 11-22 ISSN: 0021-9873. Normal-phase high-performance liquid chromatography."	
In.	94	S.D. WEST. 'The prediction of reversed-phase HPLC retention indexes and resolution as a function of selvent strength and selectivity," J. Chromatogr. Sci. (1987), 25(3), 122-9 ISSN: 0021-9665, Woman This	
Mal	95	P. LU, H. HONGXIN, "An intelligent search method for HPLC optimization." J. Chromatogr. Sci., (1989), 27(12), 690-7 (ISSN: 0021-9665.4/2) Ph. Intelligent search method for HPLC optimization." J. Chromatogr. Sci., (1989), 27(12), 690-7 (ISSN: 0021-9665.4/2) Ph. Intelligent search method for HPLC optimization." J. Chromatogr. Sci., (1989), 27(12), 690-7 (ISSN: 0021-9665.4/2) Ph. Intelligent search method for HPLC optimization.	
m	96	R. KYSILKA. M. WURST, "Optimized determination of indole derivatives by high-performance liquid chromatography with selective detection." J. Chromatogr., (1988), 446, 315-21, ISSN: 0021-9673, (Ne m pn 1//).	
m	97	B. LIN, W. LIU, P. LU, D.L. MASSART, M. DESMET, B. KOPPENHOEFER, "The simulation and optimization of gradient elution HPLC," Sci. China, Ser. B (1992), 35(9), 1056-66 ISSN: 1001-652X, All and The	
KW	98	M.A. STADALIUS, H.S. GOLD, L.R. SNYDER, "Optimization model for the gradient elution separation of peptide mixtures by reversed-phase high-performance liqid chromatography. Verification of band width relationships for acetonitrile-water mobile phases." J. Chromatogr. (1985), 327, 27-45 ISSN: 0021-9673.	
Phi	99	Y. BABA, ET AL "Effect of column temperature on high-performance liquid chromatographic behavior of inorganic polyphosphates. II. Gradient ion-exchange chromatography," <u>J. Chromatogr.</u> (1985), 350(1), 119-25 ISSN: 0021-9673, (No. 1990)	
m	100	H. ZOU, Y. ZHANG, P. LU, "The prediction of peak width at half height in HPLC," Chin. J. Chem. (1991), 9(3), 237-44. [\lambda] D a 1/2	
201	101	N. LUNDELL, "Implementation and use of gradient predictions for optimization of reversed-phase liquid chromatography of peptides. Practical considerations," J. Chromatography 639(2), 97-115 ISSN: 0021-9673 (A)	a sath A
Mr	102	M. KAISER, "HPLC optimization of the separation of explosives and propellant components with an octadecyl phase by computer simulation," Propellants. Explos., Pyrotech. (1997), 22(6), 321-325 ISSN: 0721-3115. (1/02) 231	th/
		, , , , , , , , , , , , , , , , , , , ,	

EXAMINER DATE CONSIDERED 1-20-06

EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.